

# M MACFLEX

## Alvor

Smooth leather effect  
Crib 5 UV stable vinyl  
with anti-bacterial finish



UV stability



Crib 5



Durability  
performance



Easy to clean



REACH  
compliant



Waterproof



Anti-bacterial  
Anti-microbial  
MRSA resistant



IMO  
certification




Phthalate free



+400,000  
rubs


Martindale  
abrasion



Green



Cream




Biscuit



Barley




Lilac




Mulberry



Royal



Yellow



Orange



Pink



Black



Brown



Wine



White



Grey



Navy



Sky



Camel



Red

These products are suitable for all kinds of upholstery, especially for offices, public buildings, hospitals, restaurants and generally areas with high demands.

# Alvor

## Technical properties

Weight	ISO 2286-2	660 g/m <sup>2</sup> (+/-5%)
Thickness	ISO 2286-3	1.10 mm (+/-5%)
Composition	-	90% PVC 5% Cotton 5% Polyester
Light fastness	DIN 75202	Min. 7-8 (Blue scale)
Abrasion resistance (Martindale)	BS 5690	>400,000 Cycles
Rubbing fastness (Dry + Wet)	DIN 54021	>5 (Gray scale)
Colour fastness to light	ISO 105B02	Min. 5
Fire retardant	BS 5852 IS-5	Crib 5 test
Tensile strength	ISO 1421	>400N
Tear strength	ISO 4674-2	35N along 25N across
Anti-bacterial and anti-microbial treated for use in hospitals		
Free from harmful substances in compliance with EU directives		
Width		137 cm
Rolls		30 m

## Cleaning Instructions

Rub gently with a damp cloth or sponge using warm, soapy water.

Do not use multi-purpose cleaners, agents or chemical products.

For further advice, please contact our sales office.

Colour for indication only. Shades may vary from batch to batch and an exact match cannot be guaranteed.

### Macflex International Ltd.

Macflex House, Hill Farm, Upper Heyford, Northampton NN7 3NB

Tel: +44(01604) 833666 Fax: +44(01604) 833678

[www.macflex.com](http://www.macflex.com)

[sales@macflex.com](mailto:sales@macflex.com)