

ALBA

Pamaz[®]
Innovation in contract fabrics



Upholstery



Flame Retardant
To Crib 5



Waterproof




Anti-Microbial




Stain Resistant




Breathable



Alba
301 Saffron




Alba
442 Burnt Orange




Alba
440 Scarlet



Alba
841 Biscotti




Alba
826 Taupe




Alba
702 Chocolate




Alba
925 Putty




Alba
971 Nickel



Alba
902 Slate



Alba
904 Pewter




Alba
954 Graphite



Alba
949 Noir




Alba
209 Wasabi




Alba
321 Wheat




Alba
829 Parchment




Alba
129 Ocean




Alba
251 Eau De Nile




Alba
506 Mist



Alba
481 Damson




Alba
642 Thistle



Alba
911 Steel

ALBA

COMPOSITION	APPLICATION	WEIGHT	WIDTH	ABRASION	LIGHT FASTNESS	COLOUR FASTNESS	REPEAT	WATERPROOF	FLAMMABILITY RATINGS					
									BS7176: Medium Hazard	BS5852 Part 2 Ignition Source 5	EN 1021-1/2	NFPA 280 USA	IMO 2010 FTP Part 8	
100% Polyester with microporous Film and FR Backcoating	Contract & Heavy Domestic Upholstery	430g/m ² +/-5%	Approx 139cms (55")	130,000 Martindale Rubs 65,000 Wyzenbeek D.R.	Grade 4/5-6	Wet 5 Dry 5	Nil	> 1 metre	•	•	•	•	•	•


PRODUCT PROPERTIES	 BEAUTIFUL, DURABLE & BREATHABLE Anti-Microbial shieldplus Protection - Permanently inhibits the broadest spectrum of microbes (even C diff spore) and prevents nasty odours. Stain Resistant - A C6 fluorocarbon technology combining effectiveness with environmental consideration. Fabric - Comfortable but durable to suit the most extreme environments. Waterproof film - Repelling 6 metres when tested to BS3424 hydrostatic head test (the standard is one metre). Flame Retardant - To cigarette, match, crib 5 and most international standards.
	✓ Vacuum or wipe clean routinely with a microfibre cloth lightly dampened with cold water only. ✓ Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a microfibre cloth, lightly dampened with cold water. ✓ If soiling has been allowed to build up use a mild water based proprietary cleaner. Take care to remove any product residues as these hinder the fabric's performance. ✓ Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 10,000ppm sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth. ✗ Do not dry clean, tumble dry or fully immerse the fabric in water. ✗ Do not apply solvent based cleaners or any other chemicals to the fabric. Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain. Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks.
CONTINUITY	Although every effort is made to ensure that fabrics ordered match the colours in this pattern card, slight variations may occur from batch to batch.
Please note Panaz reserve the right to update product specification at their discretion.	



Certificate No: 2358

Panaz®

For further information please visit
www.panaz.com



BV 0062/16

Head Office,
Panaz Ltd,
Bentley Wood Way,
Hapton, Burnley
Lancashire, BB11 5ST
England
Tel: +44 (0)1282 696969
Fax: +44 (0)1282 611519
email: sales@panaz.co.uk



Panaz USA Inc.
Access Office Business Center
8801 Fast Park Drive,
Suite 301
Raleigh, NC 27617
USA
Tel: +1 919 747 8211
Fax: +1 919 870 9045
email: sales@panaz.com