


CONTEMPORARY 3

Pamaz[®]
Innovation in contract fabrics

Cadet[™]
performance vinyl

Improved stain resistance
with **Acryltron**[™]



Upholstery



Flame Retardant
To Crib 5

350,000
MARTINDALE
RUBS

Abrasion



Waterproof



Anti-Microbial
Anti-Fungal



Stain Resistant




Phthalate Free



No Heavy
Metals




Zest
151 Teal




Etch
129 Ocean




Venture
155 Duck Egg




Trek
155 Duck Egg Blue




Etch
122 Wedgewood Blue




Zest
134 Sky



Etch
198 Hyacinth



Zest
117 Royal




Venture
198 Hyacinth



Trek
105 Indigo



Amathus
116 Navy



Zest
858 Cobble




Amathus
807 Mushroom




Etch
837 Stone




Amathus
156 Grape




Zest
110 Pacific




Zest
642 Thistle




Etch
664 Mauve



Trek
219 Seafoam




Venture
624 Mulberry



Trek
624 Mulberry




Amathus
131 Azure




Trek
321 Wheat



Venture
321 Wheat



Trek
823 Chablis




Etch
646 Peony




Trek
609 Rose




Zest
444 Cherry



Trek
401 Amber



Venture
609 Rose



Venture
807 Mushroom




Amathus
899 Sepia



Zest
843 Chai

CONTEMPORARY 3

DESIGN	COMPOSITION	APPLICATION	WEIGHT	WIDTH	ABRASION	BURST STRENGTH	LIGHT FASTNESS	COLOUR FASTNESS	REPEAT	WATERPROOF	FLAMMABILITY RATINGS				
		Contract & Heavy Domestic Upholstery								Hydrostatic head > 20 metres	BS7176: Medium Hazard	BS5852 Part 2 Ignition Source 5	EN 1021-1/2	NFPA 260 USA	IMO: FTP 2010 Part 8
AMATHUS	Coating: PVC/PU/Acrylic Basecloth: Cotton/Polyester	•	720g/m ² +/-5%	Approx 137cms (54")	350,000 Martindale Rubs 100,000 Wyzenbeek D.R.	1287 kPa	Grade 4-5	Wet>4 Dry>4	Height approx: 4.5cm (1.8") Side approx: 3.7cm (1.5")	•	•	•	•	•	•
ETCH	Coating: PVC/PU/Acrylic Basecloth: Cotton/Polyester	•	760g/m ² +/-5%	Approx 137cms (54")	350,000 Martindale Rubs 100,000 Wyzenbeek D.R.	1287 kPa	Grade 4-5	Wet>4 Dry>4	Nil	•	•	•	•	•	•
TREK	Coating: PVC/PU/Acrylic Basecloth: Cotton/Polyester	•	760g/m ² +/-5%	Approx 137cms (54")	350,000 Martindale Rubs 100,000 Wyzenbeek D.R.	1287 kPa	Grade 4-5	Wet>4 Dry>4	Height approx: 8cm (3.5") Side approx: 9.4cm (3.7")	•	•	•	•	•	•
VENTURE	Coating: PVC/PU/Acrylic Basecloth: Cotton/Polyester	•	760g/m ² +/-5%	Approx 137cms (54")	350,000 Martindale Rubs 100,000 Wyzenbeek D.R.	1287 kPa	Grade 4-5	Wet>4 Dry>4	Height approx: 12.8cm (5") Side approx: 18.2cm (7")	•	•	•	•	•	•
ZEST	Coating: PVC/PU/Acrylic Basecloth: Cotton/Polyester	•	720g/m ² +/-5%	Approx 137cms (54")	350,000 Martindale Rubs 100,000 Wyzenbeek D.R.	1221 kPa	Grade 4-5	Wet>4 Dry>4	Nil	•	•	•	•	•	•

PRODUCT PROPERTIES	 BEAUTIFUL, DURABLE & BREATHABLE Anti-Microbial shieldplus^{plus} technology Protection - Permanently inhibits the broadest spectrum of microbes (even C diff spore) and prevents nasty odours. Acryltron™ - Remarkable protective coating affording exceptional chemical resistance. Polyurethane coating - For durability and stain resistance. PVC Core - For core strength and durability. Substrate - Woven or knitted to suit the application. LATEX FREE
RECOMMENDED CLEANING	✓ Wipe clean routinely with a microfibre cloth lightly dampened with cold water only. Then dry with a clean absorbent cloth. ✓ Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. Clean with a lightly dampened microfibre cloth (cold water) and dry with an absorbent cloth. ✓ If soiling has accumulated use a mild soap (non-alkaline). Take care to remove all soap residues. Then dry with an absorbent cloth. ✓ Remove body fluids and extreme soiling immediately (within 15 minutes) with cold water. Apply your approved infection control protocol, a 5% sodium chlorite bleach solution, Haz-Tabs or Chlor-Clean. Remove product residues and then dry with a clean absorbent cloth. ✗ Do not dry clean, tumble dry or fully immerse the fabric in water. ✗ Do not apply solvent based cleaners or any other chemicals to the fabric. Note steam cleaning disinfects but the application of heat may fix staining substances and may result in permanent marks. Note dyes and pigments from indigo jeans, ball point and felt tip pens may permanently stain.
CONTINUITY	Although every effort is made to ensure that fabrics ordered match the colours in this pattern card, slight variations may occur from batch to batch

Please note Panaz reserve the right to update product specification at their discretion.

Head Office.
Panaz Ltd,
Bentley Wood Way,
Hapton, Burnley,
Lancashire. BB11 5ST
England
Tel: +44 (0)1282 696969
Fax: +44 (0)1282 611519
email: sales@panaz.co.uk



Panaz®
For further information please visit
www.panaz.com



Panaz USA Inc
Access Office Business Center
8801 Fast Park Drive,
Suite 301
Raleigh, NC 27617
USA
Tel: +1 919 747 8211
Fax: +1 919 870 9045
email: sales@panaz.com